



HEATER GUARDS

FLOOR STANDING

Floor standing heaters sit on the floor so the guards are manufactured to touch the floor whereas the guards fully enclose the wall mounted variant.

- Floor standing heater guards simply fit over your heaters and are attached to the wall. Made from 1 inch square mesh to eliminate the risk of finger-trapping the guards are coated in a plastic coating to safeguard any sharp edges.
- The gaps in the mesh allow air to circulate freely so that you still get the maximum heat from your heaters but the heater guards do not absorb the heat so they are safe to touch.
- For enhanced safety, strengtheners are fitted inside each guard, acting as a spacer between the radiator and the guard reducing any heat transfer.
- The heater guards are designed to cover your electric heaters completely yet still allows the electric cable to pass safely through the mesh to the power source.

APPLICATION

- Heater Guards are ideal for use in schools, nurseries and care home environments to protect young children and vulnerable adults from prolonged contact with hot radiators.
- Heater guards are made to measure for all makes and models of heaters.

SPECIFICATION

- Wire mesh heater guards made from 1" (25mm) aperture square mesh coated in white plastic as standard.
- All sizes and types of radiators catered for.
- Internal fixings on all sides.
- Other colours available upon request.



FLOOR STANDING HEATER GUARD SPECIFICATION



Our guards are made as a safety item and are designed to ensure a clearance of 25mm between the heater and guard, conforming to BSEN 60529 Standards.

Rigid in design our heater covers prevent prolonged physical contact with the heater whilst not reducing the heat output like traditional covers. Our heater covers are finished in a white plastic coating that is attractive and easy to clean. They are designed to cover the heater completely with the electric cable passing safely through the mesh to the power source.

Mesh Used: 25mm pitch mesh



Fixing Lugs

The fixing lugs are welded to the guard during manufacture.



Access Flaps

Access flaps lockable (padlocks not provided) are available as an optional extra.

PRODUCT SPECIFICATION

Type:	Floor Standing Heater Guard.
Top Design:	Flat Top (also available with sloping top).
Mounting:	Floor Standing.
Manufacture:	25mm pitch mesh.
Access Panel:	Available Upon Request.
Sizes:	All sizes catered for (Please contact us for any bespoke requirements).
Finish:	White Plastic Coating.
Fixings:	Internal fixings on all sides.



FLOOR STANDING HEATER GUARD MEASURING GUIDE

**Wire Mesh Wall Mounted Heater Guards made from 1" (25mm) aperture.
Square mesh coated in white plastic as standard.**

Our floor mounted electric heater guards are manufactured as a safety item and are designed to ensure a clearance of 80mm (3") between the heater and guard; conforming to BS EN 60529 Standards.

Our heater guards do not absorb heat meaning that they are safe to touch. Many schools/nurseries/care homes etc have installed our heater guards to prevent prolonged physical contact with the heat source.

Strengtheners are fitted to the inside of the guard, which also act as a spacer to create a permanent space between the heat source and the guard, reducing heat transfer.

HOW TO MEASURE YOUR HEATERS



Height: Measure the height of the heater.
(From floor to the top.)

Width: Measure the width of the heater.

Depth: Measure the depth of the heater.
(From the wall to the front.)

CONTROL ACCESS

If access to controls is required on a permanent basis we can make a cut out or a hinged access flap.



ACCESS FLAP



ACCESS CUT OUT



SLOPING TOPS

Available to eliminate the possibility of items being stacked and the accumulation of debris of top of the heater guards.

